

Lavatory Systems

A complete handwashing package with innovative style and durability.



Advocate® Lavatory Systems

Verge® Lavatory Systems

Express® Lavatory Systems

Frequency® Lavatory Systems

BRADLEYCORP.COM





Advocate AV-Series

Lavatory Systems

Bradley introduced the first Lavatory System over 20 years ago to provide a unique, convenient, long-lasting handwashing solution for the public restroom. A single specification plus fewer rough-ins to reduce installation time and cost.

Advocate® Lavatory Systems AV-Series

The first lavatory system to provide completely touchless soap, water and hand drying all in one space. Everything's within reach! The all-in-one Advocate® delivers hi-tech convenience, comfort and safety.



- Soap, water and hand drying in one location creates a safer environment by keeping water off the floor
- Large capacity, top-fill, touchless soap dispenser, with low level indicator
- Hygienic hands-free touchless, .38gpm (1.44 lpm) faucet, that reduces water usage by 24%
- Touchless, high efficiency, dual-sided hand dryer at each hand washing station

U.S. Patent Numbers D663016; D674967; D68020; other patents pending.



NEW Verge LVS-Series

Verge® Lavatory Systems

Characterized by its sleek and modern design, as well as its durability and low-maintenance features. The Verge® Lavatory system incorporates a beautifully sculpted basin made from natural quartz, conveying upscale sophistication. Choose from LVR-Series, LVG-Series, LVL-Series or the **NEW** LVS-Series.

U.S. Patent Numbers: D001205496-0001-0004; D625792; D629877; D633922; D640778; D642664; D649232; other patents pending.



Model LVRD2



Model LVGD2



Model LVL D2



Model LVSD2



NEW Express ELX-Series

Express® Lavatory Systems

Express® Lavatory Systems install in half the time than a bank of china sinks and require fewer connections for lower installation costs. With one continuous bowl to clean, maintenance is made easy.

U.S. Patent Numbers: 2121886; 5369818; 5611093; 7952233; 8113483; 8113483; D398969; D398969; D433109; D447224; D447224; D511821; D527085; D539400; D539400.



Model ELX-3



Model MG-3

NEW ELX-Series

The perfect alternative to china sinks and laminate countertops

MG-Series

One-piece solid surface basin with integral sprayhead body



Model SS-3N



Model CRS-2

SS-Series

Removable sprayhead for easy maintenance and shelf space

Crescent® CRS-Series

Integral sprayhead and unique, low profile design to save space



Frequency® Lavatory Systems

These patented multi-height fixtures allow adults, children and those with disabilities to easily access the fixture at the same time.

U.S. Patent Numbers: 1651819; 2435228; 60200402 4406.6; 7039963; D477060; D484958; D496450; D507634; D527809; D537927; D561315; other patents pending.



Model FL-3L



Model FL-2H



Model FL-1L

	Number of stations	ADA-compliant models	Vandal resistance	Materials		Sprayhead	Faucet	Trap Covers		Applications
				Evero	Terreon & TerreonRE			Stainless Steel	High Impact Polymer	
ADVOCATE LAVATORY SYSTEMS										
Advocate AV-Series	1,2,3	•	Low-Medium		•		•		•	convenient stores, restaurants, healthcare
VERGE LAVATORY SYSTEMS										
Verge LVR-, LVG-, LVL-, LVS-Series	1,2,3	•	Low-Medium	•			•	•		higher education, office, hospitality
EXPRESS LAVATORY SYSTEMS										
Express ELX-Series	2,3	•	Medium		•		•		•	schools, retail, transit stations
Express MG-Series	2,3	•	Medium-High		•	•			•	schools, stadiums, parks
Express SS-Series	1,2,3	•	Medium		•	•	⊙		•	schools, department stores
Express Crescent CRS-Series	2,3	•	Medium		•	•			•	schools, distribution centers
FREQUENCY LAVATORY SYSTEMS										
Frequency FL-Series	1,2,3	•	Low-Medium		•		•	•	•	museums, theme parks, airports



*Evero® A blend of natural quartz, granite, exotic materials and bio-based resin

**Terreon® & Terreon®RE Solid surface material and Recycled solid surface material

⊙ = SS-IN Only

Visit bradleycorp.com for colors and technical documents

+1 262 251 6000
800 BRADLEY bradleycorp.com
W142 N9101 Fountain Boulevard
Menomonee Falls, WI USA 53051



3926-5-0116