

DEMAND PERFORMANCE

Bradley's Enclosed Safety Showers deliver superior protection and safe refuge from the harshest environments on earth



CUSTOM ENGINEERED TO YOUR SPECIFICATIONS

The safety of your employees is paramount. Bradley's Enclosed Safety Showers provide superior design, innovative drenching technology, and premium features that come standard.

BRADLEYCORP.COM



EMPLOYEE SAFETY. PREMIUM PERFORMANCE. ON DEMAND.

SAFETY. FIRST AND LAST.

Provide employees with a safe work experience – no matter where the job site takes them and no matter what environmental or industrial conditions they encounter. Capable of withstanding harsh weather and highly-corrosive environments, Bradley Enclosed Safety Showers deliver the ultimate in protection.

EASY TO CONFIGURE. CUSTOM ENGINEERED TO YOUR SPECIFICATIONS.

Innovative drenching technology with SpinTec™ showerhead and Halo™ eye- and eye/face washes. Tempered water solutions including Keltech tankless water heaters and Navigator® emergency thermostatic mixing valves. No matter what unique environmental conditions exist, Bradley will configure an indoor or outdoor model to suit your application.

CERTIFIED TO ANSI Z358.1 UL, CEC AND NEC CODES.

Protect employees from extreme environments with a customized safety solution – turnkey shower, eyewash and drench hose systems. Bradley's Enclosed Safety Showers address the physical and psychological needs of the injured party by providing privacy, delivering warm water, warm ambient temperature and a shelter from the elements. Tempered water inlet, hot water tank, self-contained or tankless hot water heater options.

Outdoor Enclosed Safety Showers



Indoor Enclosed Safety Showers



Exclusive

Fire-rated construction of the 100% fiberglass reinforced plastic surround provides protection from UV-rays, and exposure to chemicals and salt-laden air.



OUTDOOR MODEL S19388



ANSI Z358.1 requires that safety systems with multiple drenching platforms be capable of simultaneous activation while delivering tepid water for a duration of 15 minutes.

Exterior

- 1** Signaling system alerts first responders
 - Red strobe visible 360°
 - Flow switch activates red strobe light and horn
 - Over-door beacon area light
- 2** Extremely durable 100% fiberglass reinforced plastic enclosure
- 3** Highly visible BradTect® safety yellow
- 4** Fire retardant, UL 94 V-0 self-extinguishing fire rating and Class 1 ASTM E84
- 5** UV-inhibiting gel coat protects from prolonged exposure to sunlight, harsh chemicals and salt-laden marine environments
- 6** Safe, easy portability
 - Top/base lift capability
 - Integral forklift slots

Interior

- 7** Patented Keltech® electric tankless water heater
 - Provides unlimited tempered water
 - Uses energy only when safety fixtures are activated
- 8** Convection heater warms enclosure
- 9** R-8 Insulation factor helps protect against internal freezing
- 10** Interior vapor-sealed fluorescent light
- 11** Spintec™ Drench showerhead and Halo™ eyewash system
 - Most effective contaminant removal in the industry
 - Comply to ANSI/ISEA Z358.1
 - Equipped with scald & freeze protection valves
- 12** Optional stainless steel safety fixtures also available
- 13** Shower area includes sloped drain below a removable 100% fiberglass floor grate
- 14** Left, right or center drain ports provided with 3" NPT fittings connect to any drain plumbing configuration

Halo EYE/FACE WASHES AND SPINTEC™ SHOWERHEADS

In an emergency, you want an eye/face wash unit that provides the most coverage. With Halo, you get the best on the market – covering 85% of the average user’s face. That’s more than 20% better than any other unit on the market. SpinTec showerheads incorporate the latest technology in fluid dynamics and provide the most consistent distribution of water from a drench shower. Halo and SpinTec provide the fastest, most effective removal of contaminants in the industry.



UL Classified to meet ANSI-Z358.1



KELTECH® ELECTRIC TANKLESS TEMPERING SYSTEMS

Efficient, precise and fast, patented Keltech tankless tempering systems provide ANSI-required tepid water within seconds and with the lowest pressure drop available. Traditional tank heaters require energy 24/7/365; Keltech tankless heaters only require energy when in use. And no tank = no leaks. Quality is unmatched with premium features that exceed the specifications of any application.



Meets ANSI-Z358.1 standards



Third-party verified by ETL/CETL. Only tankless heaters registered with the National Board and certified with the HLW stamp.

NAVIGATOR THERMOSTATIC MIXING VALVES

Navigator® emergency thermostatic mixing valves not only accurately maintain temperature, they also have an added safety feature. If the cold water stops, Navigator valves prevent scalding by shutting down the hot water. If the hot water stops or the thermostat loses its charge, the valves’ fixed cold-water ports keep the cold water flowing.



Meets ANSI-Z358.1 standards



FOR BIM/REVIT FAMILIES AND TECHNICAL INFORMATION VISIT BRADLEYCORP.COM

262.251.6000
800 BRADLEY bradleycorp.com
W142 N9101 Fountain Boulevard
Menomonee Falls, WI 53051 USA
3982-2.5-1116

