

TOUGH Products for TOUGH Environments

Freeze protected products from Bradley help keep your employees safe in the most frigid conditions.



Heat Trace Combination Shower & Eyewash Units
Keltech® Electric Tankless Water Heater Skid System
Enclosed Safety Showers
Frost Proof Combination Shower & Eyewash Units
Gravity Fed & Portable Eyewash

BRADLEYCORP.COM



BRADLEY'S FREEZE PROTECTED PRODUCTS help keep employees safe in extreme, frigid environments in the toughest industrial applications. Install outdoors at petrochemical facilities, offshore platforms, oil and gas refineries, power generation plants, mines and more.

ANSI/ISEA Z358.1 SECTION 6.4.5 In geographic areas where an emergency fixture may freeze, safety personnel should consider purchasing a freeze protected fixture or additional accessories to prevent the pipes from freezing.



EXTREME Freeze Protection.

ENCLOSED SAFETY SHOWERS address the physical and psychological needs of the injured party by providing privacy, delivering warm water and a shelter from the elements. Protect employees with a customized safety solution – turnkey shower, eyewash and drench hose systems.

- Indoor and Outdoor models to suit your application
- General area and hazardous location models
- Custom engineered to your unique site conditions
- Tepid water inlet, hot water tank, self-contained or tankless hot water heater options
- Outdoor model convection heaters protect down to -40°F (-40°C)



S19388



HEAT TRACE COMBINATION SHOWER

AND EYEWASH UNITS are engineered to ensure water doesn't freeze in the fixture. Ideal for the toughest industrial applications.

- General area and hazardous location models
- Heating cable provides freeze protection down to -50°F (-46°C)*
- Freeze protection valve ensures continual flow of water should power fail in cold temperatures
- High-visibility insulated fixture with yellow ABS plastic shell
- Emergency Signaling Systems can be easily added to all units
- Certified to ANSI/ISEA Z358.1 and cCSAus listed
- NEMA 4X standard
- SpinTec™ shower head improves water distribution and provides the most effective washdown in the industry
- Halo™ eye/facewash for 85% facial coverage and 20% better protection – the best contaminant relief available through superior coverage and wash pattern
- Bowl and dust cover always included
- Standard and configurable models available



S19-304D2BL



KELTECH® FREEZE PROTECTED SKID

is a complete solution in one compact, portable package. Transport to your location, connect a water and power supply and the Keltech® Skid Series is ready for any situation – even remote locations.

- Pre-piped, insulated, heated and assembled on a portable steel skid
- Freeze protection options available for the heater to -20°F (-28°C) or -30°F (-1°C)
- Heat traced combination unit protected down to -50°F (-46°C)
- Skid models available in back-to-back heater configurations

Other freeze protected safety heaters also available



DESIGN ON DEMAND™ There's no place we can't go.

Bradley's exclusive Design on Demand® program offers customized services and product solutions that are ideal for large or small industrial applications in the most demanding environments. With in-house engineering experience, system design consultation and individualized services, qualified experts help design plumbing systems according to each customer's needs and project goals. Bradley offers a complete range of efficient and reliable plumbing products for tempering water and liquid processing that can be bundled or pre-assembled to meet specific application requirements.

Emergency Safety Fixtures | Enclosed Safety Showers | Keltech® Electric Water Tankless Heaters | Navigator® Thermostatic Mixing Valves

STANDARD Freeze Protection.

FROST PROOF COMBINATION SHOWER AND EYEWASH (S19-310TW AND S19-220HFP)

fits easily into any work environment where an outdoor plumbed water source is not available. Through wall design: ball valves are located inside the temperature controlled building while the activation handles and safety fixture are located outside.



PORTABLE PRESSURIZED EYEWASH UNITS WITH INSULATED HEATER JACKETS

thermostatically control water in weather down to -10°F (-23°C). The eyewash yoke is wrapped with heat trace cable and lined with pipe insulation for further freeze protection. Heated Portable Pressurized units in 10 or 15 gal (37 or 56 L) units provide 15 minutes of water flow for the eyewash, meeting the ANSI/ISEA Z358.1 standard as an eyewash.



FROST PROOF ON-SITE GRAVITY FED EYEWASH (S19-921H)

provides 15 minutes of water at 0.4 GPM (1.5 L-Min) with only 7 gal (26.5 L) of water. The tank is insulated by a high visibility yellow, waterproof heater jacket that thermostatically controls water in weather conditions down to -10°F (-23°C). Ideal where plumbed water is not available or an exposed water tank is subject to freezing temperatures.



Review technical data sheet or contact Bradley Corporation for additional product information and limitations. VISIT BRADLEYCORP.COM FOR INDUSTRY-LEADING BIM-REVIT/SYSQUE LIBRARY

+1 262 251 6000
800 BRADLEY bradleycorp.com
W142 N9101 Fountain Boulevard
Menomonee Falls, WI USA 53051

4259-0319

