

# Hughes / Bradley Emergency Fixtures Cross Reference Guide

Product Description	Hughes Product #	Bradley Product #	Variance / Notes
<b>Wall Mounted Eye or Eye/Face Wash</b>			
Eye/Face Wash, Wall Mounted, Plastic Bowl	STD-75G	S19224FW	
Eye/Face Wash, Wall Mounted, Plastic Bowl and cover	STD-45G	S19224PDCFW	
Eye/Face Wash, Wall Mounted, SS Bowl	STD-85G	S19224T	
<b>Pedestal Mounted Eye or Eye/Face Wash</b>			
Eye/Face Wash, Pedestal Mounted, Plastic Bowl, Galvanized Piping	STD-75G/P	S19214FW	
Eye/Face Wash, Pedestal Mounted, Plastic Bowl, SS Piping	STD-75GS/P	Configure S19214	
Eye/Face Wash, Pedestal Mounted, Plastic Bowl and cover, Galvanized Piping	STD-45G/P	S19214PDCFW	
Eye/Face Wash, Pedestal Mounted, Plastic Bowl and cover, SS Piping	STD-45GS/P	Configure S19214	
Eye/Face Wash, Pedestal Mounted, SS Bowl, Galvanized Piping	STD-85G/P	S19214Y	
Eye/Face Wash, Pedestal Mounted, SS Bowl and Piping	STD-85GS/P	Configure S19214	
Eye/Face Wash, Pedestal Mounted, Plastic Bowl, Galvanized Piping, Self Draining	STD-75G/P	S19214FW	S19214 drains into pipe
Eye/Face Wash, Pedestal Mounted, Plastic Bowl, SS Piping, Self Draining	STD-75GS/P	Configure S19214	S19214 drains into pipe
Eye/Face Wash, Pedestal Mounted, SS Bowl, Galvanized Piping, Self Draining	STD-85G/P	S19214Y	S19214 drains into pipe
Eye/Face Wash, Pedestal Mounted, SS Bowl and Piping, Self Draining	STD-85GS/P	Configure S19214	S19214 drains into pipe
Eye/Face Wash, Pedestal Mounted, Plastic Bowl and cover, 110V Freeze Protection	EXP-AH-45G/P(F1)		Hughes unit is heat traced
Eye/Face Wash, Pedestal Mounted, SS Bowl and cover, 110V Freeze Protection	EXP-AH-45G/P(F2)		Hughes unit is heat traced
Eye/Face Wash, Pedestal Mounted, Plastic Bowl and cover, 230V Freeze Protection	EXP-AH-45GS/P(F1)		Hughes unit is heat traced
Eye/Face Wash, Pedestal Mounted, SS Bowl and cover, 230V Freeze Protection	EXP-AH-45GS/P(F2)		Hughes unit is heat traced
Eye/Face Wash, Pedestal Mounted, Plastic Bowl and cover, Insulated	EXP-EJ-45G/P		Hughes unit is heat traced
Eye/Face Wash, Pedestal Mounted, SS Bowl and cover, Insulated	EXP-EJ-45GS/P		Hughes unit is heat traced
<b>Laboratory Range</b>			
Wall Mounted Eye/Face Wash	LAB-85GS	S19224EW	
Table Mounted Eye/Face Wash	LAB-85GS/T	S19-260	
Pedestal Mounted Eye/Face Wash	LAB-85GS/P	S19214EW	S19214EW has drain piping
Drench Shower, Vertically Mounted, All-SS	LAB-23GS/V	S19-130SS	
Drench Shower, Wall Mounted, All-SS	LAB-23GS/H	S19-120SS	
Drench Shower, Ring Main Mount, All-SS	LAB-23GS	S19-120SS	
Combination Unit with Eye/Face Wash, Wall Mounted, All-SS	LAB-33GS/34G		
Combination Unit with Eye/Face Wash, Floor Mounted, All-SS	LAB-18GS/34G	S19314BFSS	
<b>Self Draining</b>			
Drench Shower, Galvanized Piping, Scald Protection	EXP-SD-18G		
Drench Shower, SS Piping, Scald Protection	EXP-SD-18GS		
Drench Shower, Body Spray, Galvanized Piping, Scald Protection	EXP-SD-20G		
Drench Shower, Body Spray, SS Piping, Scald Protection	EXP-SD-20GS		
Combination Shower with Eye/Face Wash, Plastic Bowl, Galvanized Piping, Scald Protection	EXP-SD-18G/75G	Configure S19314	
Combination Shower with Eye/Face Wash, Plastic Bowl, SS Piping, Scald Protection	EXP-SD-18GS/75G	Configure S19314	
Combination Shower with Eye/Face Wash, SS Bowl, Galvanized Piping, Scald Protection	EXP-SD-18G/85G	Configure S19314	
Combination Shower with Eye/Face Wash, SS Bowl, SS Piping, Scald Protection	EXP-SD-18GS/85G	Configure S19314	
Combination Shower with Eye/Face Wash, Plastic Bowl and Cover, Galvanized Piping, Scald Protection	EXP-SD-18G/45G	Configure S19314	
Combination Shower with Eye/Face Wash, Plastic Bowl and Cover, SS Piping, Scald Protection	EXP-SD-18GS/45G	Configure S19314	

Combination Shower with Eye/Face Wash, Plastic Bowl and Cover, Body Spray, Galvanized Piping, Scald Protection	EXP-SD-20G/45G	Configure S19314	
Combination Shower with Eye/Face Wash, Plastic Bowl and Cover, Body Spray, SS Piping, Scald Protection	EXP-SD-20GS/45G	Configure S19314	
<b>Drench Showers</b>			
Drench Shower, Pedestal/Floor Mounted, Galvanized Piping	EXP-18G	S19-110	
Drench Shower, Pedestal/Floor Mounted, SS Piping	EXP-18GS	S19-110SS	
Drench Shower, Pedestal/Floor Mounted, Body Spray, Galvanized Piping	EXP-20G		
Drench Shower, Pedestal/Floor Mounted, Body Spray, SS Piping	EXP-20GS		
Drench Shower, Ceiling Mount, Galvanized Piping	EXP-23G/V	S19-130A	
Drench Shower, Ceiling Mount, SS Piping	EXP-23GS/V	S19-130SS	
Drench Shower, Wall Mount, Galvanized Piping	EXP-23G/H	S19-120	
Drench Shower, Wall Mount, SS Piping	EXP-23GS/H	S19-120SS	
Drench Shower, Ring Main Mount, Galvanized Piping	EXP-23G	S19-120	
Drench Shower, Ring Main Mount, SS Piping	EXP-23GS	S19-120SS	
<b>Combination Units</b>			
Combination Unit with Eye/Face Wash, Plastic Bowl, Galvanized Piping	EXP-18G/75G	S19314FW	
Combination Unit with Eye/Face Wash, Plastic Bowl, SS Piping	EXP-18GS/75G	Configure S19314	
Combination Unit with Eye/Face Wash, SS Bowl, Galvanized Piping	EXP-18G/85G	S19314S8FW	
Combination Unit with Eye/Face Wash, SS Bowl, SS Piping	EXP-18GS/85G	Configure S19314	
Combination Unit with Eye/Face Wash, Plastic Bowl and Cover, Galvanized Piping	EXP-18G/45G-T	S19314PDCF	
Combination Unit with Eye/Face Wash, Plastic Bowl and Cover, SS Piping	EXP-18GS/45G-T	Configure S19314	
Combination Unit with Eye/Face Wash, Plastic Bowl and Cover, Body Spray, Galvanized Piping	EXP-20G/45G-T		
Combination Unit with Eye/Face Wash, Plastic Bowl and Cover, Body Spray, SS Piping	EXP-20GS/45G-T		
Combination Unit with Eye/Face Wash, Plastic Bowl and Cover, Galvanized Piping, Wall Mount	EXP-33G/45G		
Combination Unit with Eye/Face Wash, Plastic Bowl and Cover, SS Piping, Wall Mount	EXP-33GS/45G		
<b>Protective Frame Combination Units</b>			
Combination Unit with Eye/Face Wash, Floor Mounted, Galvanized Piping	EXP-63G		
Combination Unit with Eye/Face Wash, Floor Mounted, SS Piping	EXP-63GS		
Drench Shower with Eye/Face Wash, Floor Mounted, Galvanized Piping	EXP-65G		
Drench Shower with Eye/Face Wash, Floor Mounted, SS Piping	EXP-65GS		
<b>Self Draining Protective Frame Combination Units</b>			
Combination Unit with Eye/Face Wash, Floor Mounted, Galvanized Piping, Scald Protection	EXP-SD-63G		
Combination Unit with Eye/Face Wash, Floor Mounted, SS Piping, Scald Protection	EXP-SD-63GS		
Drench Shower with Eye/Face Wash, Floor Mounted, Galvanized Piping, Scald Protection	EXP-SD-65G		
Drench Shower with Eye/Face Wash, Floor Mounted, SS Piping, Scald Protection	EXP-SD-65GS		
<b>Emergency Cubicle Showers</b>			
Drench Shower, Multi-nozzle, Foot Activated	STD-SD-31K	Configure S19372	S19372 is a hand activated combination
Drench Shower, Two-Stage Multi-nozzle, Hand Activated	STD-SD-31K/V	Configure S19372	S19372 is a hand activated combination unit. Drench hose included instead of multi-nozzle
Combination Unit with Eye/Face Wash, Hand Activated	STD-SD-32K/45G	Configure S19372	
<b>Emergency Tank Shower</b>			
Hazardous, 110V, 92 gal (350l), Galvanized Piping, Freeze Protection	EXP-MH-14K/350(F1)		
Hazardous, 110V, 92 gal (350l), SS Piping, Freeze Protection	EXP-MH-14KS/350(F1)		
Hazardous, 230V, 92 gal (350l), Galvanized Piping, Freeze Protection	EXP-MH-14K/350(F2)		

Hazardous, 230V, 92 gal (350l), SS Piping, Freeze Protection	EXP-MH-14KS/350(F2)		
Non-Hazardous, 110V, 92 gal (350l), Galvanized Piping, Freeze Protection	EXP-MH-14K/350(N1)		
Non-Hazardous, 110V, 92 gal (350l), SS Piping, Freeze Protection	EXP-MH-14KS/350(N1)		
Non-Hazardous, 230V, 92 gal (350l), Galvanized Piping, Freeze Protection	EXP-MH-14K/350(N2)		
Non-Hazardous, 230V, 92 gal (350l), SS Piping, Freeze Protection	EXP-MH-14KS/350(N2)		
Hazardous, 110V, 396 gal (1500l), Galvanized Piping, Freeze Protection	EXP-MH-14K/1500(F1)		
Hazardous, 110V, 396 gal (1500l), SS Piping, Freeze Protection	EXP-MH-14KS/1500(F1)		
Hazardous, 230V, 396 gal (1500l), Galvanized Piping, Freeze Protection	EXP-MH-14K/1500(F2)		
Hazardous, 230V, 396 gal (1500l), SS Piping, Freeze Protection	EXP-MH-14KS/1500(F2)		
Non-Hazardous, 110V, 396 gal (1500l), Galvanized Piping, Freeze Protection	EXP-MH-14K/1500(N1)		
Non-Hazardous, 110V, 396 gal (1500l), SS Piping, Freeze Protection	EXP-MH-14KS/1500(N1)		
Non-Hazardous, 230V, 396 gal (1500l), Galvanized Piping, Freeze Protection	EXP-MH-14K/1500(N2)		
Non-Hazardous, 230V, 396 gal (1500l), SS Piping, Freeze Protection	EXP-MH-14KS/1500(N2)		
92 gal (350l), Galvanized Piping, Insulated Only	EXP-J-14K/350		
92 gal (350l), SS Piping, Insulated Only	EXP-J-14KS/350		
396 gal (1500l), Galvanized Piping, Insulated Only	EXP-J-14K/1500		
396 gal (1500l), SS Piping, Insulated Only	EXP-J-14KS/1500		
Hazardous, 110V, 396 gal (1500l), Galvanized Piping, Enclosed Unit - Polar	EXP-MH-14K/1500-P(F1)		
Hazardous, 110V, 396 gal (1500l), SS Piping, Enclosed Unit - Polar	EXP-MH-14KS/1500-P(F1)		
Hazardous, 230V, 396 gal (1500l), Galvanized Piping, Enclosed Unit - Polar	EXP-MH-14K/1500-P(F2)		
Hazardous, 230V, 396 gal (1500l), SS Piping, Enclosed Unit - Polar	EXP-MH-14KS/1500-P(F2)		
Non-Hazardous, 110V, 396 gal (1500l), Galvanized Piping, Enclosed Unit - Polar	EXP-MH-14K/1500-N(F1)		
Non-Hazardous, 110V, 396 gal (1500l), SS Piping, Enclosed Unit - Polar	EXP-MH-14KS/1500-N(F1)		
Non-Hazardous, 230V, 396 gal (1500l), Galvanized Piping, Enclosed Unit - Polar	EXP-MH-14K/1500-N(F2)		
Non-Hazardous, 230V, 396 gal (1500l), SS Piping, Enclosed Unit - Polar	EXP-MH-14KS/1500-N(F2)		
<b>Enclosed Modular Polar Cubicle Shower</b>			
Hazardous, 110V, Tepid Water Inlet	MPC-H-2GS/11KS(F1)	Configure S19382	
Hazardous, 230V, Tepid Water Inlet	MPC-H-2GS/11KS(F2)	Configure S19382	
Non-Hazardous, 110V, Tepid Water Inlet	MPC-H-2GS/11KS(N1)	Configure S19382	
Non-Hazardous, 230V, Tepid Water Inlet	MPC-H-2GS/11KS(N2)	Configure S19382	
<b>Freeze-Resistant Units</b>			
Drench Shower, Wall Mount, Galvanized Piping, European Standards	EXP-EJ-2G		
Drench Shower, Wall Mount, SS Piping, European Standards	EXP-EJ-2GS		
Drench Shower, Floor Mount, Galvanized Piping, European Standards	EXP-EJ-5G		
Drench Shower, Floor Mount, SS Piping, European Standards	EXP-EJ-5GS		
Drench Shower, Floor Mount, Galvanized Piping, Body Spray, European Standards	EXP-EJ-5G/10G		
Drench Shower, Floor Mount, SS Piping, Body Spray, European Standards	EXP-EJ-5GS/10G		
Combination Unit with Eye/Face Wash, Plastic Bowl and Cover, Floor Mount, Galvanized Piping, European Standards	EXP-EJ-5G/45G		
Combination Unit with Eye/Face Wash, Plastic Bowl and Cover, Floor Mount, SS Piping, European Standards	EXP-EJ-5GS/45G		
Drench Shower, Wall Mount, 110V, Galvanized Piping	EXP-AH-2G(F1)		
Drench Shower, Wall Mount, 110V, SS Piping	EXP-AH-2GS(F1)		
Drench Shower, Wall Mount, 230V, Galvanized Piping	EXP-AH-2G(F2)		
Drench Shower, Wall Mount, 230V, SS Piping	EXP-AH-2GS(F2)		
Drench Shower, Floor Mount, 110V, Galvanized Piping	EXP-AH-5G(F1)		

Drench Shower, Floor Mount, 110V, SS Piping	EXP-AH-5GS(F1)		
Drench Shower, Floor Mount, 230V, Galvanized Piping	EXP-AH-5G(F2)		
Drench Shower, Floor Mount, 230V, SS Piping	EXP-AH-5GS(F2)		
Drench Shower, Floor Mount, Body Spray, 110V Galvanized Piping	EXP-AH-5G/10G(F1)		
Drench Shower, Floor Mount, Body Spray, 110V SS Piping	EXP-AH-5GS/10G(F1)		
Drench Shower, Floor Mount, Body Spray, 230V Galvanized Piping	EXP-AH-5G/10G(F2)		
Drench Shower, Floor Mount, Body Spray, 230V SS Piping	EXP-AH-5GS/10G(F2)		
Combination Unit with Eye/Face Wash, Plastic Bowl and Cover, Floor Mount, 110V, Galvanized Piping	EXP-AH-5G/45G(F1)	S19-304D2T	
Combination Unit with Eye/Face Wash, Plastic Bowl and Cover, Floor Mount, 110V, SS Piping	EXP-AH-5GS/45G(F1)	Configure S19-304	
Combination Unit with Eye/Face Wash, Plastic Bowl and Cover, Floor Mount, 230V, Galvanized Piping	EXP-AH-5G/45G(F2)	Configure S19-304	
Combination Unit with Eye/Face Wash, Plastic Bowl and Cover, Floor Mount, 230V, SS Piping	EXP-AH-5GS/45G(F2)	Configure S19-304	
<b>Heated Water Tank</b>			
Hazardous, 110V, 79 gal (300l)	STD-WH-300(F1)	See Keltech tankless heaters	
Hazardous, 230V, 79 gal (300l)	STD-WH-300(F2)	See Keltech tankless heaters	
Non-Hazardous, 110V, 79 gal (300l)	STD-WH-300(N1)	See Keltech tankless heaters	
Non-Hazardous, 230V, 79 gal (300l)	STD-WH-300(N2)	See Keltech tankless heaters	
Hazardous, 110V, 119 gal (450l)	STD-WH-450(F1)	See Keltech tankless heaters	
Hazardous, 230V, 119 gal (450l)	STD-WH-450(F2)	See Keltech tankless heaters	
Non-Hazardous, 110V, 119 gal (450l)	STD-WH-450(N1)	See Keltech tankless heaters	
Non-Hazardous, 230V, 119 gal (450l)	STD-WH-450(N2)	See Keltech tankless heaters	
Hazardous, 110V, 145 gal (550l)	STD-WH-550(F1)	See Keltech tankless heaters	
Hazardous, 230V, 145 gal (550l)	STD-WH-550(F2)	See Keltech tankless heaters	
Non-Hazardous, 110V, 145 gal (550l)	STD-WH-550(N1)	See Keltech tankless heaters	
Non-Hazardous, 230V, 145 gal (550l)	STD-WH-550(N2)	See Keltech tankless heaters	
<b>Mobile Safety Showers</b>			
Self-Contained Combination unit with Eye/Face Wash, 30 gal (114l), Unheated	STD-40K/45G		
Self-Contained Combination unit with Eye/Face Wash, 30 gal (114l), Insulated	STD-J-40K/45K		
Self-Contained Combination unit with Eye/Face Wash, Non-Hazardous, 110V, 30 gal (114l), Trace Tape Heated and Insulated	STD-H-40K/45G(N1)		
Self-Contained Combination unit with Eye/Face Wash, Non-Hazardous, 230V, 30 gal (114l), Trace Tape Heated and Insulated	STD-H-40K/45G(N2)		
Self-Contained Combination unit with Eye/Face Wash, Hazardous, 110V, 30 gal (114l), Trace Tape Heated and Insulated	STD-H-40K/45G(F1)		
Self-Contained Combination unit with Eye/Face Wash, Hazardous, 230V, 30 gal (114l), Trace Tape Heated and Insulated	STD-H-40K/45G(F2)		
Self-Contained Combination unit with Eye/Face Wash, Non-Hazardous, 110V, 317 gal (1200l), Trace Tape Heated and Insulated	STD-MH-P-1200L(N1)		
Self-Contained Combination unit with Eye/Face Wash, Non-Hazardous, 230V, 317 gal (1200l), Trace Tape Heated and Insulated	STD-MH-P-1200L(N2)		
Self-Contained Combination unit with Eye/Face Wash, Non-Hazardous, 110V, 528 gal (2000l), Trace Tape Heated and Insulated	STD-MH-P-200L(N1)		

Self-Contained Combination unit with Eye/Face Wash, Non-Hazardous, 230V, 528 gal (2000l), Trace Tape Heated and Insulated	STD-MH-P-2000L(N2)		
<b>Decontamination Showers</b>			
Two Stage with Detergent Application, Freestanding, Hand Activated, Galvanized Piping	DEC-V-5		
Two Stage with Detergent Application, Freestanding, Hand Activated, SS Piping	DEC-V-5S		
Multi-Nozzle Shower, Hand Activated, Galvanized Piping	DEC-D-29		
Multi-Nozzle Shower, Hand Activated, SS Piping	DEV-D-29S		
Two Stage with Detergent Application, Wall Mounted, Hand Activated, Galvanized Piping	DEC-V-2		
Multi-Nozzle Shower, Hand Activated, Freestanding Cubicle, Galvanized Piping	DEC-DS-6-M		
Two Stage with Detergent Application, Hazardous, 110V, Freeze Protection, Galvanized Piping	DEC-VH-5(F1)		
Two Stage with Detergent Application, Hazardous, 110V, Freeze Protection, SS Piping	DEC-VH-5S(F1)		
Two Stage with Detergent Application, Hazardous, 230V, Freeze Protection, Galvanized Piping	DEC-VH-5(F2)		
Two Stage with Detergent Application, Hazardous, 230V, Freeze Protection, SS Piping	DEC-VH-5S(F2)		
Multi-Nozzle Shower, Hazardous, 110V, Freeze Protection, Galvanized Piping	DEC-DH-29(F1)		
Multi-Nozzle Shower, Hazardous, 110V, Freeze Protection, SS Piping	DEC-DH-29S(F1)		
Multi-Nozzle Shower, Hazardous, 230V, Freeze Protection, Galvanized Piping	DEC-DH-29(F2)		
Multi-Nozzle Shower, Hazardous, 230V, Freeze Protection, SS Piping	DEC-DH-29S(F2)		
<b>Temperature Controlled Safety Showers</b>			
Hazardous, 110V, Heated and Insulated	STD-TCH-100KS/11K(F1)		
Hazardous, 230V, Heated and Insulated	STD-TCH-100KS/11K(F2)		
Non-Hazardous, 110V, Heated and Insulated	STD-TCH-100KS/11K(N1)		
Non-Hazardous, 230V, Heated and Insulated	STD-TCH-100KS/11K(N2)		
Hazardous, 110V, Heated	STD-TC-100KS/45G(F1)		
Hazardous, 230V, Heated	STD-TC-100KS/45G(F2)		
Non-Hazardous, 110V, Heated	STD-TC-100KS/45G(N1)		
Non-Hazardous, 230V, Heated	STD-TC-100KS/45G(N2)		
<b>Self-Contained</b>			
Self-Contained Portable Eyewash, Gravity Fed	STD-686	S19-921	S19-921 is portable vs S0950 on wall
Self-Contained Portable Eyewash, 2.9 gal (11l) Pressurized	STD-28G	S19-671	
Self-Contained Portable Eye/Facewash, 4 gal (15l) Pressurized, Drench Hose	STD-38G	S19-672	
Self-Contained Portable Eye/Facewash, 7.4 gal (28l) Pressurized	STD-58G	S19-690LHS	S19-690LHS has double the water capacity
<b>Drench Hoses</b>			
Drench Hose, Eyewash, Wall Mounted, Single Sprayhead	Optiflex 100	S19-430A	
Drench Hose, Eyewash, Deck Mounted, Single Sprayhead	Optiflex 200	S19-460	
Drench Hose, Eyewash, Wall Mounted, Dual Sprayheads	Optiflex 500	S1944011ABC	
Drench Hose, Eyewash, Deck Mounted, Dual Sprayheads	Optiflex 600	S19-465EFW	