No Plumbing Required

Portable Safety Solutions You Can Depend On

DON'T COMPROMISE SAFETY. Certified to ANSI Z358.1, Bradley's Gravity-fed Eyewashes and Portable Pressurized Tanks make it easy to keep safety close by.

bradleycorp.com

Bradley

A WATTS Brand

Portable Safety Solutions Products

On-Site® Gravity-Fed Eyewash

Lightweight, versatile and made of impact-resistant plastic, Bradley's patented On-Site® gravity-fed eyewash uses just 7 gallons (26.5 liters) of water to provide an ANSI-compliant full 15-minute flush. ANSI recommends eyewash stations be within 10 seconds or 55 feet (17 meters) from a potential hazard. On-Site's small footprint allows for placement close by.

- Clear tank for easy inspection at a glance
- Highly visible safety yellow color easy to see in an emergency
- Exclusive patented vandal-resistant design
- Mount on wall, work surface or on optional waste cart that stores up to 56 gallons (212 liters) of waste solution
- Easy to maintain
- ANSI Z358.1 compliant

Portable Pressurized Tanks

Versatile, corrosion-resistant stainless steel portable tanks provide a full 15-minute flush in remote or non-plumbed locations.

- Eyewash, Eyewash with Drench Hose
- Available in 5-, 10-, and 15-Gallon (19-, 38-, and 57-liters) Units
- 10 & 15 gallon (38 and 57 liters) tanks comply with ANSI Z358.1 when used exclusively as an eyewash
- Heated models: jacket prevents freezing down to -10°F (-23°C)
- Built-in carrying handles with flow control sprayhead assemblies for safe, steady water flow
- 5 gallon (19 liter) tanks comply with ANSI Z358.1 as a supplemental eyewash only

Bradley's Portable Safety Solutions provide ANSI-required tepid water where you need them — no plumbed water 48 required.

On-Site® Gravity-Fed Eyewash
Model S19-921
U.S Patents: #D438,983; #6,296,626

Waste Cart
Model S19-399

Heater Jacket
Model S19-921H

Pressurized Tanks
Model S19-672
Model S19-788
Model S19-690LH

Bradley

A WATTS Brand

W142 N9101 Fountain Blvd. | Menomonee Falls, WI 53051 | T: (262) 251-6000 | **bradleycorp.com**

4077-0424